

1/12




FIG. 1

BEST AVAILABLE COPY

2/12




FIG. 2

BEST AVAILABLE COPY

FIG. 3A




FIG. 3B




FIG. 3C




FIG. 4A




FIG. 4B





FIG. 4C



5/12




FIG. 5

FIG. 6A




FIG. 6B




FIG. 6C




FIG. 7A




FIG. 7B




FIG. 7C




FIG. 8-(1)




FIG. 8-(2)




FIG. 9A




FIG. 9B




FIG. 9C




FIG. 9D




FIG. 9E




FIG. 9F




FIG. 9G




FIG. 10




FIG. 11





FIG. 12






FIG. 13

12/12

EXPLANATION OF REFERENCE

100: substrate, 101: first electrode, 102: second electrode, 103: composite layer, 111: first layer, 112: second layer, 113: third layer, 114: fourth layer, 201: first electrode (anode), 202: second electrode (cathode), 203: composite layer, 211: hole transporting layer, 212: light-emitting layer, 213: electron transporting layer, 801: source-side driver circuit, 802: pixel portion, 803: gate-side driver circuit, 804: sealing substrate, 805: sealing material, 806: region, 807: connecting wiring, 808: FPC (flexible printed circuit), 810: substrate, 811: switching TFT, 812: current controlling TFT, 813: first electrode, 814: insulator, 815: composite layer, 816: second layer, 817: CEL element, 823: n-channel TFT, 824: p-channel TFT, 9101: frame body, 9102: support, 9103: display portion, 9104: speaker portion, 9105: video input terminal, 9201: main body, 9202: frame body, 9203: display portion, 9204: keyboard, 9205: external connection port, 9206: pointing mouse, 9301: main body, 9302: display portion, 9303: switch, 9304: operation keys, 9305: infrared port, 9401: main body, 9402: frame body, 9403: display portion A, 9404: display portion, 9405: recording medium reading portion, 9406: operation key, 9407: speaker portion, 9501: main body, 9502: display portion, 9503: arm portion, 9601: main body, 9602: display portion, 9603: frame body, 9604: external connection port, 9605: remote-control receiving portion, 9606: image receiving portion, 9607: battery, 9608: sound input portion, 9609: operation keys, 9610: eye piece, 9701: main body, 9702: frame body, 9703: display portion, 9704: sound input portion, 9705: sound output portion, 9706: operation key, 9707: external connection port, 9708 antenna